

Type of Attenuation:

Volume of Attenuation:

Note if a tank is being used for attenuation then as-constructed details are required.

Type of flow control valve:

Maximum flow rate:

Type of petrol interceptor:

Maximum flow rate:

Type of grit trap:

Maximum flow rate:

Includes Tailte Éireann data reproduced under Licence number CYAL50441442 South Dublin County Council. Unauthorised reproduction infringes Tailte Éireann and Government of Ireland copyright. © Tailte Éireann - Surveying.

**LEGEND:**

Foul Sewer		Red
Surface Water Sewer		Green
Watermain		Blue
Fire Hydrant		Sluice Valve
Air Valve		Scour Valve
Foul Water Under 225mm		Grey
Surface Water Under 225mm		Grey
Site Boundary		Red
Open Space		
Roads and Footpaths to be TIC		
Areas to Remain Private/Management Co.		
Wayleaves		

Revision	Description	Date

**Notes:**  
This drawing does not constitute a recommendation to have an estate taken in charge.  
This drawing refers to the taking into charge of the roads and services as indicated in colour.  
All sewers are 225mm dia. unless otherwise indicated.  
Scaled dimensions not to be used.  
Length of roads as on attached road schedule.  
Boundary treatments to roads taken in charge i.e. walls and/or railings are not included in, and are not part of the taking in charge procedure.

Location:  
**Marlfield Row**  
**Dublin 24**

Drawing Title:  
**Taking in Charge Scheme**

Drawn by: <b>PL</b>	O.S. Reference: <b>3453-1</b>
Surveyed by: <b>Laser Surveys</b>	Scale: <b>1:250</b>
Checked:	Date: <b>22/05/2026</b>

Drawing Number:  
**BC-1518**

